

## Body Oil

Sample ID: 1910CSALA9077.0355

Strain: Body Oil

Matrix: Topical

Type: Body Oil

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 10/17/2019

Received: 10/17/2019

Completed: 10/28/2019


Batch#:

Client

**Soji Health Sciences**

Lic. #

N Hollywood, CA 91601

|   |                                   |  |   |
|---|-----------------------------------|--|---|
|  | <b>ND</b><br><br><b>Total THC</b> | <b>249.22</b><br><b>mg/package</b><br><br><b>Total CBD</b> | <b>249.22</b><br><b>mg/package</b><br><br><b>Total Cannabinoids</b> |
|---|-----------------------------------|--|---|

## Cannabinoids

Pass

Testing method: HPLC-SOP 101

| Analyte      | LOD        | LOQ        | Mass          | Mass        |
|--------------|------------|------------|---------------|-------------|
|              | mg/package | mg/package | mg/package    | mg/ml       |
| CBD          | 0.08375    | 0.22453    | 249.22        | 1.00        |
| CBC          | 0.03211    | 0.22453    | ND            | ND          |
| CBDa         | 0.04558    | 0.22453    | ND            | ND          |
| CBDV         | 0.02245    | 0.22453    | ND            | ND          |
| CBG          | 0.08375    | 0.22453    | ND            | ND          |
| CBGa         | 0.04401    | 0.22453    | ND            | ND          |
| CBN          | 0.03637    | 0.22453    | ND            | ND          |
| THCa         | 0.05029    | 0.22453    | ND            | ND          |
| THCV         | 0.08801    | 0.22453    | ND            | ND          |
| Δ8-THC       | 0.09453    | 0.22453    | ND            | ND          |
| Δ9-THC       | 0.09497    | 0.22453    | ND            | ND          |
| <b>Total</b> |            |            | <b>249.22</b> | <b>1.00</b> |

1 serving = 1 Bottle, 250.0 milliliters; Density = 0.8981 g/ml; 1.0 servings per package; 0.0 mg/package Total THC; 249.22 mg/package Total CBD;

Date Tested: 10/19/2019

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653

 FJLA  
 Testing  
 Association (FJLTA)



 Mallory Speakman  
 Laboratory Director - LA  
 10/28/2019



 Anya Engen  
 Quality Review  
 10/28/2019



 Musa Aman  
 COA Review  
 10/28/2019

## Body Oil

Sample ID: 1910CSALA9077.0355

Strain: Body Oil

Matrix: Topical

Type: Body Oil

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 10/17/2019

Received: 10/17/2019

Completed: 10/28/2019

Batch#:

Client

**Soji Health Sciences**

Lic. #

N Hollywood, CA 91601

## Pesticides

Testing method: LCMS &amp; GCMS-SOP 301 and 302

**Pass**

| Analyte             | LOD    | LOQ    | Limit  | Mass | Status | Analyte                 | LOD    | LOQ    | Limit  | Mass | Status |
|---------------------|--------|--------|--------|------|--------|-------------------------|--------|--------|--------|------|--------|
|                     | µg/g   | µg/g   | µg/g   | µg/g |        |                         | µg/g   | µg/g   | µg/g   | µg/g |        |
| Abamectin           | 0.0009 | 0.003  | 0.3    | ND   | Pass   | Fludioxonil             | 0.0143 | 0.048  | 30.0   | ND   | Pass   |
| Acephate            | 0.005  | 0.017  | 5.0    | ND   | Pass   | Hexythiazox             | 0.0237 | 0.079  | 2.0    | ND   | Pass   |
| Acequinocyl         | 0.0193 | 0.064  | 4.0    | ND   | Pass   | Imazalil *              | 0.0077 | 0.026  | 0.0077 | ND   | Pass   |
| Acetamiprid         | 0.0073 | 0.024  | 5.0    | ND   | Pass   | Imidacloprid            | 0.0053 | 0.018  | 3.0    | ND   | Pass   |
| Aldicarb *          | 0.0094 | 0.031  | 0.0094 | ND   | Pass   | Kresoxim Methyl         | 0.0182 | 0.061  | 1.0    | ND   | Pass   |
| Azoxystrobin        | 0.015  | 0.05   | 40.0   | ND   | Pass   | Malathion               | 0.015  | 0.05   | 5.0    | ND   | Pass   |
| Bifenazate          | 0.0129 | 0.043  | 5.0    | ND   | Pass   | Metaxyl                 | 0.0076 | 0.025  | 15.0   | ND   | Pass   |
| Bifenthrin          | 0.029  | 0.097  | 0.5    | ND   | Pass   | Methiocarb *            | 0.0103 | 0.034  | 0.0103 | ND   | Pass   |
| Boscalid            | 0.0172 | 0.058  | 10.0   | ND   | Pass   | Methomyl                | 0.0109 | 0.036  | 0.1    | ND   | Pass   |
| Captan              | 0.036  | 0.12   | 5.0    | ND   | Pass   | Methyl Parathion *      | 0.0091 | 0.0303 | 0.0091 | ND   | Pass   |
| Carbaryl            | 0.0542 | 0.181  | 0.5    | ND   | Pass   | Mevinphos *             | 0.0041 | 0.014  | 0.0041 | ND   | Pass   |
| Carbofuran *        | 0.0077 | 0.026  | 0.0077 | ND   | Pass   | Myclobutanil            | 0.01   | 0.033  | 9.0    | ND   | Pass   |
| Chlorantraniliprole | 0.0095 | 0.032  | 40.0   | ND   | Pass   | Naled                   | 0.0107 | 0.036  | 0.5    | ND   | Pass   |
| Chlordane *         | 0.0055 | 0.0182 | 0.0055 | ND   | Pass   | Oxamyl                  | 0.0071 | 0.024  | 0.2    | ND   | Pass   |
| Chlorfenapyr *      | 0.0048 | 0.0159 | 0.0048 | ND   | Pass   | Paclobutrazol *         | 0.0092 | 0.031  | 0.0092 | ND   | Pass   |
| Chlorpyrifos *      | 0.0197 | 0.066  | 0.0197 | ND   | Pass   | Pentachloronitrobenzene | 0.0084 | 0.0279 | 0.2    | ND   | Pass   |
| Clofentezine        | 0.0216 | 0.072  | 0.5    | 0.11 | Pass   | Permethrin              | 0.0142 | 0.048  | 20.0   | ND   | Pass   |
| Coumaphos *         | 0.0196 | 0.065  | 0.0196 | ND   | Pass   | Phosmet                 | 0.0138 | 0.046  | 0.2    | ND   | Pass   |
| Cyfluthrin          | 0.0107 | 0.036  | 1.0    | ND   | Pass   | Piperonyl Butoxide      | 0.0156 | 0.052  | 8.0    | ND   | Pass   |
| Cypermethrin        | 0.0105 | 0.035  | 1.0    | ND   | Pass   | Prallethrin             | 0.018  | 0.06   | 0.4    | ND   | Pass   |
| Daminozide *        | 0.0052 | 0.017  | 0.0052 | ND   | Pass   | Propiconazole           | 0.013  | 0.043  | 20.0   | ND   | Pass   |
| DDVP *              | 0.0081 | 0.027  | 0.0081 | ND   | Pass   | Propoxur *              | 0.0097 | 0.033  | 0.0097 | ND   | Pass   |
| Diazinon            | 0.0134 | 0.045  | 0.2    | ND   | Pass   | Pyrethrins              | 0.0025 | 0.008  | 1.0    | ND   | Pass   |
| Dimethoate *        | 0.0083 | 0.028  | 0.0083 | ND   | Pass   | Pyridaben               | 0.0236 | 0.079  | 3.0    | ND   | Pass   |
| Dimethomorph        | 0.0025 | 0.008  | 20.0   | ND   | Pass   | Spinetoram              | 0.0042 | 0.014  | 3.0    | ND   | Pass   |
| Ethoprophos *       | 0.0112 | 0.037  | 0.0112 | ND   | Pass   | Spinosad                | 0.0002 | 0.001  | 3.0    | ND   | Pass   |
| Etofenprox *        | 0.0247 | 0.082  | 0.0247 | ND   | Pass   | Spiromesifen            | 0.0199 | 0.066  | 12.0   | ND   | Pass   |
| Etoxazole           | 0.0269 | 0.09   | 1.5    | ND   | Pass   | Spirotetramat           | 0.0068 | 0.023  | 13.0   | ND   | Pass   |
| Fenhexamid          | 0.0215 | 0.072  | 10.0   | ND   | Pass   | Spiroxamine *           | 0.0065 | 0.022  | 0.0065 | ND   | Pass   |
| Fenoxycarb *        | 0.0186 | 0.062  | 0.0186 | ND   | Pass   | Tebuconazole            | 0.0099 | 0.033  | 2.0    | ND   | Pass   |
| Fenpyroximate       | 0.0253 | 0.084  | 2.0    | ND   | Pass   | Thiacloprid *           | 0.0094 | 0.031  | 0.0094 | ND   | Pass   |
| Fipronil *          | 0.0228 | 0.076  | 0.0228 | ND   | Pass   | Thiamethoxam            | 0.005  | 0.017  | 4.5    | ND   | Pass   |
| Flonicamid          | 0.0073 | 0.024  | 2.0    | ND   | Pass   | Trifloxystrobin         | 0.0192 | 0.064  | 30.0   | ND   | Pass   |

Date Tested: 10/22/2019

\* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mallory Speakman  
 Laboratory Director - LA  
 10/28/2019



 Anya Engen  
 Quality Review  
 10/28/2019



 Musa Aman  
 COA Review  
 10/28/2019

## Body Oil

Sample ID: 1910CSALA9077.0355

Strain: Body Oil

Matrix: Topical

Type: Body Oil

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 10/17/2019

Received: 10/17/2019

Completed: 10/28/2019

Batch#:

Client

**Soji Health Sciences**

Lic. #

N Hollywood, CA 91601

## Heavy Metals

Testing method: ICPMS-SOP 502

**Pass**

| Analyte | LOD   | LOQ   | Limit | Mass  | Status |
|---------|-------|-------|-------|-------|--------|
|         | µg/g  | µg/g  | µg/g  | µg/g  |        |
| Arsenic | 0.02  | 0.06  | 1.5   | ND    | Pass   |
| Cadmium | 0.03  | 0.1   | 0.5   | ND    | Pass   |
| Lead    | 0.002 | 0.005 | 0.5   | 0.022 | Pass   |
| Mercury | 0.02  | 0.06  | 3.0   | ND    | Pass   |

Date Tested: 10/18/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653

 FJLA  
 Testing  
Association (FJLA)



 Mallory Speakman  
 Laboratory Director - LA  
 10/28/2019



 Anya Engen  
 Quality Review  
 10/28/2019



 Musa Aman  
 COA Review  
 10/28/2019

## Body Oil

Sample ID: 1910CSALA9077.0355

Strain: Body Oil

Matrix: Topical

Type: Body Oil

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 10/17/2019

Received: 10/17/2019

Completed: 10/28/2019

Batch#:

Client

**Soji Health Sciences**

Lic. #

N Hollywood, CA 91601

## Residual Solvents

Testing method: HSGCMS-SOP 202

**Pass**

| Analyte             | LOD    | LOQ    | Limit | Mass | Status |
|---------------------|--------|--------|-------|------|--------|
|                     | µg/g   | µg/g   | µg/g  | µg/g |        |
| 1,2-Dichloro-Ethane | 0.024  | 0.24   | 1     | ND   | Pass   |
| Acetone             | 0.112  | 1.12   | 5000  | ND   | Pass   |
| Acetonitrile        | 0.0196 | 0.196  | 410   | ND   | Pass   |
| Benzene             | 0.0096 | 0.096  | 1     | ND   | Pass   |
| Butane              | 0.2    | 2.0    | 5000  | ND   | Pass   |
| Chloroform          | 0.0288 | 0.288  | 1     | ND   | Pass   |
| Ethanol             | 0.112  | 1.12   |       | ND   | Tested |
| Ethyl-Acetate       | 0.112  | 1.12   | 5000  | ND   | Pass   |
| Ethylene Oxide      | 0.024  | 0.24   | 1     | ND   | Pass   |
| Ethyl-Ether         | 0.112  | 1.12   | 5000  | ND   | Pass   |
| Heptane             | 0.112  | 1.12   | 5000  | ND   | Pass   |
| Isopropanol         | 0.112  | 1.12   |       | ND   | Tested |
| Methanol            | 0.144  | 1.44   | 3000  | ND   | Pass   |
| Methylene-Chloride  | 0.0288 | 0.288  | 1     | ND   | Pass   |
| n-Hexane            | 0.1392 | 1.392  | 290   | ND   | Pass   |
| Pentane             | 0.112  | 1.12   | 5000  | ND   | Pass   |
| Propane             | 0.08   | 0.8    | 5000  | ND   | Pass   |
| Toluene             | 0.4272 | 4.272  | 890   | ND   | Pass   |
| Trichloroethene     | 0.0384 | 0.384  | 1     | ND   | Pass   |
| Xylenes             | 1.0416 | 10.416 | 2170  | ND   | Pass   |

Date Tested: 10/21/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653

 FJLA  
 Testing  
Accreditation #19221



 Mallory Speakman  
 Laboratory Director - LA  
 10/28/2019



 Anya Engen  
 Quality Review  
 10/28/2019



 Musa Aman  
 COA Review  
 10/28/2019