

200mg Broad Spectrum Roll-On

Sample ID: 1911CSALA0482.5190

Strain: 200mg Roll-On

Matrix: Topical

Type: Other

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 11/20/2019

Received: 11/20/2019

Completed: 12/02/2019

Batch#:

Client

Soji Health Sciences

Lic. #

N Hollywood, CA 91601


ND

Total THC

**195.51
mg/package**

Total CBD


**195.51
mg/package**

Total Cannabinoids

Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Results	Results	
	mg/package	mg/package	mg/package	mg/g	
CBD	0.02126	0.057	195.51	3.43	
CBC	0.00815	0.057	ND	ND	
CBDa	0.01157	0.057	ND	ND	
CBDV	0.0057	0.057	ND	ND	
CBG	0.02126	0.057	ND	ND	
CBGa	0.01117	0.057	ND	ND	
CBN	0.00923	0.057	ND	ND	
THCa	0.01277	0.057	ND	ND	
THCV	0.02234	0.057	ND	ND	
Δ8-THC	0.024	0.057	ND	ND	
Δ9-THC	0.02411	0.057	ND	ND	
Total			195.51	3.43	

1 serving = 1 Bottle, 57.0 grams; 1.0 servings per package; 0.0 mg/package Total THC; 195.51 mg/package Total CBD;

Date Tested: 11/26/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

PULA
 Testing
Accredited 19283

Mallory Speakman
 Laboratory Director - LA
 12/02/2019


Anya Engen
 Quality Review
 12/02/2019


Musa Aman
 COA Review
 12/02/2019

200mg Broad Spectrum Roll-On

Sample ID: 1911CSALA0482.5190

Strain: 200mg Roll-On

Matrix: Topical

Type: Other

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 11/20/2019

Received: 11/20/2019

Completed: 12/02/2019

Batch#:

Client

Soji Health Sciences

Lic. #

N Hollywood, CA 91601

Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.3	ND	Pass	Fludioxonil	0.0143	0.048	30.0	ND	Pass
Acephate	0.005	0.017	5.0	ND	Pass	Hexythiazox	0.0237	0.079	2.0	ND	Pass
Acequinocyl	0.0193	0.064	4.0	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	5.0	ND	Pass	Imidacloprid	0.0053	0.018	3.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	1.0	ND	Pass
Azoxystrobin	0.015	0.05	40.0	ND	Pass	Malathion	0.015	0.05	5.0	ND	Pass
Bifenazate	0.0129	0.043	5.0	ND	Pass	Metaxyl	0.0076	0.025	15.0	ND	Pass
Bifenthrin	0.029	0.097	0.5	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	10.0	ND	Pass	Methomyl	0.0109	0.036	0.1	ND	Pass
Captan	0.036	0.12	5.0	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	9.0	ND	Pass
Chlorantraniliprole	0.0095	0.032	40.0	ND	Pass	Naled	0.0107	0.036	0.5	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.2	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.2	ND	Pass
Clofentezine	0.0216	0.072	0.5	ND	Pass	Permethrin	0.0142	0.048	20.0	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.2	ND	Pass
Cyfluthrin	0.0107	0.036	1.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	8.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.4	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	20.0	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.2	ND	Pass	Pyrethrins	0.0025	0.008	1.0	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	3.0	ND	Pass
Dimethomorph	0.0025	0.008	20.0	ND	Pass	Spinetoram	0.0042	0.014	3.0	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	3.0	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	12.0	ND	Pass
Etoxazole	0.0269	0.09	1.5	ND	Pass	Spirotetramat	0.0068	0.023	13.0	ND	Pass
Fenhexamid	0.0215	0.072	10.0	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	2.0	ND	Pass
Fenpyroximate	0.0253	0.084	2.0	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	4.5	ND	Pass
Flonicamid	0.0073	0.024	2.0	ND	Pass	Trifloxystrobin	0.0192	0.064	30.0	ND	Pass

Date Tested: 11/21/2019

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 12/02/2019

 Anya Engen
 Quality Review
 12/02/2019

 Musa Aman
 COA Review
 12/02/2019

200mg Broad Spectrum Roll-On

Sample ID: 1911CSALA0482.5190

Strain: 200mg Roll-On

Matrix: Topical

Type: Other

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 11/20/2019

Received: 11/20/2019

Completed: 12/02/2019

Batch#:

Client

Soji Health Sciences

Lic. #

N Hollywood, CA 91601

Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.050	Pass
Mercury	0.02	0.06	3.0	ND	Pass

Date Tested: 11/21/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 PJLA
 Testing
 Accredited (P202)

 Mallory Speakman
 Laboratory Director - LA
 12/02/2019

 Anya Engen
 Quality Review
 12/02/2019

 Musa Aman
 COA Review
 12/02/2019

200mg Broad Spectrum Roll-On

Sample ID: 1911CSALA0482.5190

Strain: 200mg Roll-On

Matrix: Topical

Type: Other

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 11/20/2019

Received: 11/20/2019

Completed: 12/02/2019

Batch#:

Client

Soji Health Sciences

Lic. #

N Hollywood, CA 91601

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0		88293.43	Tested
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0		ND	Tested
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 11/22/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 12/02/2019

 Anya Engen
 Quality Review
 12/02/2019

 Musa Aman
 COA Review
 12/02/2019